

Date: 22/05/2025

Ref: Authorisation No. PCB ID - 213995

To,

The Environmental Officer
Bengaluru - Mahadevapura
Karnataka State Pollution Control Board
3rd Floor, Nisarga Bhavan,
Thimmaiah Road, Shivannagar, Rajajinagar
Bangalore -560010

Dear Sir,


Sub: Submission of Annual Report for the year 2024

Please find enclosed the annual report for the year 2024 of Bio Medical Waste generated & Disposed by Sri Kauvery Medical Care (India) Limited, No. 2371/3, Old HAL Airport, Varthur Road, Munnekolala, Marathahalli, Bengaluru East - 560037. duly filled in Form IV.

Kindly acknowledge the same and do the needful.

Thanking You,

Sri Kauvery Medical Care (India) Limited


Dr. S Vijayabaskaran
Director



Encl:

1. Annual Report -Form IV
2. Certificate of Treatment from M/s Mardi Eco Industries Pvt Ltd.

Form – IV
(See rule13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars	:	
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or : operator of facility)	:	Dr S. Vijayabaskaran - Director
	(ii) Name of HCF or CBMWTF	:	Sri Kauvery Medical Care (India) Limited,
	(iii) Address for Correspondence	:	No. 2371/3, Old HAL Airport, Varthur Road, Munnekolala, Marathahalli, Bengaluru East – 560037
	(iv) Address of Facility	:	No. 2371/3, Old HAL Airport, Varthur Road, Munnekolala, Marathahalli, Bengaluru East – 560037
	(v) Tel. No, Fax. No	:	080-4180 4180, 09606241006
	(vi) E-mail ID	:	avinashbh.ecb@kauveryhospital.com
	(vii) URL of Website	:	www.kauveryhospitalsbangalore.com
	(viii) GPS coordinates of HCF or CBMWTF	:	In Process
	(ix) Ownership of HCF or CBMWTF	:	PRIVATE
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: PCB ID - 213995
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to - 30/6/2027
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 200
	(ii) Non-bedded hospital	:	

	Laborator (Clinic or Blood Bank or Clinical y or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry		BLU05754ALSSH Valid up 24-10-2028
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	<u>78</u> Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 13062.02 Red Category: 13596.51 White: 2057.64 Blue Category: 411.35 General Solid waste: 35749
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	:	Size : Capacity: Provision of on-site storage: (cold storage or any other provision)


disposal facilities		<table border="1"> <thead> <tr> <th data-bbox="834 219 1054 286">Type of treatment equipment</th> <th data-bbox="1114 219 1166 367">No of units</th> <th data-bbox="1195 219 1246 409">Capacity Kg/day</th> <th data-bbox="1281 219 1390 483">Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td data-bbox="834 495 979 521">Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="834 533 1038 560">Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="834 571 970 598">Autoclaves</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="834 609 970 636">Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="834 647 975 674">Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="834 685 943 712">Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="834 723 1066 790">Needle tip cutter or destroyer</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td data-bbox="834 801 1031 904">Sharps encapsulation or concrete pit</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td data-bbox="834 916 1034 943">Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td data-bbox="834 954 951 981">Chemical disinfection:</td> <td></td> <td>-</td> <td></td> </tr> <tr> <td data-bbox="834 1032 1075 1099">Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer		-		Sharps encapsulation or concrete pit		-		Deep burial pits:				Chemical disinfection:		-		Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																															
Incinerators																																																		
Plasma Pyrolysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or destroyer		-																																																
Sharps encapsulation or concrete pit		-																																																
Deep burial pits:																																																		
Chemical disinfection:		-																																																
Any other treatment equipment:																																																		
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) NA																																																
(iv) No of vehicles used for collection and transportation of biomedical waste	:	NA																																																
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<table border="1"> <thead> <tr> <th data-bbox="818 1424 963 1529">Incineration Ash ETP Sludge</th> <th data-bbox="1018 1350 1134 1417">Quantity generated</th> <th data-bbox="1222 1350 1329 1417">Where disposed</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Incineration Ash ETP Sludge	Quantity generated	Where disposed																																													
Incineration Ash ETP Sludge	Quantity generated	Where disposed																																																
(vi) Name of the Common Bio- : Medical Waste Treatment Facility Operator through which wastes are disposed of		M/s. Maridi Eco Industries Pvt Ltd 35 th Mile Stone Kanakapura Road, Ramanagar Dist. Phone Number: 9845162041																																																
(vii) List of member HCF not handed over bio-medical waste.		NA																																																
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes																																																
7 Details trainings conducted on BMW																																																		
(i) Number of trainings conducted on BMW Management.		5 (Five)																																																

	(ii) number of personnel trained		135
	(iii) number of personnel trained at the time of induction		135
	(iv) number of personnel not undergone any training so far		Nil
	(v) whether standard manual for training is available?		Yes
	(vi) any other information)		Nil
8	Details of the accident occurred during the year		Nil
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Liquid waste treatment methods in place, Meeting the standards all the time
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from January 2024 to December 2024

Place: Bengaluru

Date: 22/05/2025



Name and Signature of the Head of the Institution